



MAHARASHTRA STATE ELECTRICITY TRANSMISSION CO. LTD.

From

Name of Office: The Superintending Engineer, PAC Circle, Chhatrapati Sambhajanagar .
Office address: Protection Automation Communication Circle, Chhatrapati Sambhajanagar, Block No.03, Ground Floor, Administrative Building, Near Harsool T-Point, Jalgaon Road, Chhatrapati Sambhajanagar-431008.

E-mail Id : setccabd1@gmail.com, se2500@mahatransco.in

SE/PAC/CSN/TS/No.

000438

Date: **18 AUG 2025**

E-ENQUIRY

To,

M/s.

Subject:- E-Enquiry for procurement of 02 No's of 5kV Digital Insulation Tester for PAC Division, Chhatrapati Sambhajanagar & Nanded under PAC Circle, Chhatrapati Sambhajanagar.

Dear Sir,

Sealed and super scribed technical documents & quotations are invited from eligible vendors, so as to reach this office up to date 25/08/2025 for procurement of 02 No's of 5kV Digital Insulation Tester for PAC Division, Chhatrapati Sambhajanagar & Nanded under PAC Circle, Chhatrapati Sambhajanagar as per detailed scope of work given in Schedule 'A' on the following terms and conditions:-

Terms and Conditions:-

Sealed envelope must be marked as a quotation for procurement of 02 No's of 5kV Digital Insulation Tester for PAC Division, Chhatrapati Sambhajanagar & Nanded under PAC Circle, Chhatrapati Sambhajanagar.

- 1) **Name & Scope of Work:-** As per schedule 'A'
- 2) Please refer the Schedule "A" attached herewith and quote your offer for the same.
- 3) **Date of Opening:** 26/08/2025 if possible
- 4) **Rate:** You should quote your rates for all items & should be valid for 90 days. GST rate as applicable will have to be quoted separately in space provided. If nothing is specified rates will be considered as inclusive of all taxes. Rate per unit shall include general packing, forwarding & delivery at destination.
- 5) Quotations received after due to date will not be accepted.
- 6) PAN , GST Number & HSN code of material should be mentioned in your quotation
- 7) The contractor should have experience of similar type of work & should be attached with the offer quotations.

8) Documents required: The rate offer must be accompanied with following documents duly attested & signed by vendor;

- i. Valid Shop act license if applicable
- ii. Valid Electrical Contractor License.
- iii. Copy of PAN card & proof of IT returns for last three years
- iv. GST Registration certificate.
- v. Valid Bombay Shop Act/MSME/NSIC registration.
- vi. Agency possessing Certificate of Manufacturer/authorized dealership of insulation tester will be given preference (In case more than one agencies quote same rate)

9) In case of any dispute the decision of the undersigned will be final & binding upon you. The undersigned reserved the rights for cancellation of any or all quotations without assigning any reason.


10) Submission At :

Superintending Engineer,
Block No.03, Ground Floor, Administrative Building,
Near Harsool T-Point, Jalgaon Road, Chhatrapati
Sambhajinagar -431008.

Email Address: setccabd1@gmail.com, se2500@mahatransco.in

Thanking You ,
Encl: Schedule "A"

Yours faithfully,



((R.P. Chavan)

Superintending Engineer,
PAC Circle, MSETCL
Chhatrapati Sambhajinagar.

Copy S.W.R to:-

The Chief Engineer, EHV PC O&M Zone, MSETCL, Chhatrapati Sambhajinagar.


Copy to: 1. The Manager F&A, EHV O&M Circle, Chhatrapati Sambhajinagar.
2. MSETCL Web

MAHARASHTRA STATE ELECTRICITY TRANSMISSION COMPANY LTD
SCHEDULE 'A'

Subject: - Procurement of 02 No's of 5kV Digital Insulation Tester for PAC Division, Chhatrapati Sambhajanagar & Nanded under PAC Circle, Chhatrapati Sambhajanagar.

Sr. No.	Material No.	Particulars of work	Required Quantity (in No's)	Rate per unit in Rs.	Amount in Rs.
1	500029526	<p>The specification of Digital Insulation tester is as below: 5kV 10kΩ-10TΩ Digital Insulation tester , Voltage -250-500-1000-2500-5000V , Insulation resistance range , Digital Display - 10kΩ 10TΩ , Analog Display -100 kΩ to 10TΩ , Time IR , Polarization Index and DAR Diagnosis test , Break Down and Burn Mode present , short circuit current of 3mA nominal , Capacitance charge time <3s/uF , Guard terminal Accuracy specified CATIV 600V Safety rating (HEC 61010-1) , and EMC (HEC 61326-1),IP 65 (lid closed) , IP40 (lid open),Altitude -3000m Current measurement rang -0.01nA to 6mA , IP65 (lid closed) , IP40(lid open capacitance range- 10nF to 25u , insulation alarm setting -10kS to 1Th , Mains & battery operated . Ability to make the readings from on line power mains even with dead battery.</p> <p>Preferably Make: Megger/Kyoritsu or any other Standard Company</p>	02		
			Total Amt in Rs		
			GST @18%		
			Final Total Amt in Rs.		

In words :


Superintending Engineer,
PAC Circle, Chhatrapati Sambhajanagar.