

# Amendment

## Processing of RFx post implementation of GST

### **Guidelines For Bidders to Submit Response After Amendment:**

|                              |  |
|------------------------------|--|
| Name of work                 | <b>A]</b> Work of Complete Renovation, Revamping and Online Removal of Adhered Contaminants using NCCC Technique from Marshalling Boxes [MB] Installed in the Switch Yard of the Sub-Stations under EHV (O&M) Circle, Kolhapur.<br><b>B]</b> Work of On-Line Thorough Removal of Adhered Contaminants from the Control Panels, Relay Panels, PLC Panels, Bus Bar Panels, Switch Gear Panels, Battery Room Panels, Scada Panels, etc. installed in the various Control Rooms of the Sub-stations by using NCCC Technique, under EHV (O&M) Circle, Kolhapur. |
| Tender No                    | SE/EHV O&M /C/KOP/ Tech/SRM –TENDER/2/2017-18  |
| Rfx No.                      | 7000005616   |
| Date of submission of tender | 31.07.2017 upto 23:59 Hrs  |

**Following amendments have been made in above RFx (Tender) Prospecting bidder shall read these amendments carefully and submit/modify his bid according to these amendment and other conditions of tender document which are not related to these amendments:**

- Bidders shall submit/re-submit their response as under:
  - Bidder shall enter basic price [including freight, packaging & forwarding, insurance, etc.] in ex-works field
  - Bidder shall enter prevailing rate of GST in VAT % field as follows: -
    - In case SGST and CGST is applicable, the summation of these taxes [SGST + CGST] shall be entered in the VAT % field.
    - In case IGST is applicable, the same shall be entered in the VAT % field.
- Bidders who have submitted their response prior to issuance of this amendment have to invariably edit and re-submit their response against the amended RFx, failing which their offer is liable for rejection.

All other remaining conditions mentioned in the tender document shall remain same.

**Superintending Engineer  
EHV O&M Circle, Kolhapur.**