

MAHARASHTRA STATE ELECTRICITY TRANSMISSION COMPANY LTD. EHV (0&M) DIVISION, JALGAON.

(CIN No. U40109MH2005SGC153646)

Office of the:-

Executive Engineer, EHV O&M Division

Plot No.32, M-Sector

Near Godavari Engineering College

New MIDC Jalgaon

Contact No.

:- 0257-2212769(O) Fax- 2212770

Email Id

:- ee5210@mahatransco.in

EE/ EHV/ O&M/ Dn./JLG/ Tech/No.

No - 1479

Date :-

=2 NOV 2019

SRM E-Enquiry 15/2019-20.

Sub:- Work of AMC for the work of repairing of 33KV &11 KV CTs and PTs pertaining to various Substations under EHV O&M Division, Jalgaon.

Dear Sir,

Please offer your reasonable rates for the subject work as per the enclosed schedule 'A'. The detailed scopes of works are given below. Please note the following.

RFx. Number	7000014292
Online Downloading the RFx	02.11.2019, 15:00 Hrs to 10.11.2019, 23.59 Hrs.
Online Submission of the RFx	Before 10.11.2019 up to23:59 Hrs.
Online Opening of the Techno Commercial RFx	11.11.2019 at 11:00 Hrs.(if Possible)
Online opening of the price bid	11.11.2019 at 16:00 Hrs.
RFX	Limited to Rs.3,00,000/- (Including GST)
Estimated Cost	
EMD amount	Rs. 5000/-
Tender Fees	Rs. 100/- + GST Extra

For further details visit our website: -https://srmetender.mahatransco.in

Contact Person:-The Addl. Executive Engineer (0) Tel No. 0257-2212769 / 2970769.

Note: All eligible Supplier / Contractors are mandated to get enrolled on SRM

E-Tenders (New) portal of MSETCL.

TERMS AND CONDITIONS

- 1. Due Date: The RFx, complete in all respects, should be submitted between the period of 02.11.2019, 15:00 Hrs to 10.11.2019, 23.59 Hrs positively.
- 2. Scope Of Works: The detail scope of work mentioned in Schedule 'A'.
- 3. Quoted Rates: You are requested to quote your unit rates for the items mentioned in the schedule on firm (percentage) basis.(Please quote ex-works price in ex-works field & applicable GST in GST field)
- 4. **Payment:** On completion of the job, the RA bill (in triplicate) should be submitted to the the concerned Engineer in charge. The concerned Engineer In Charge will verify and process the bill and submit to division office along with his certificate & MIGO/SES as applicable. The payment will be effected by this office within a reasonable time as per actual work done.

Documents required to be attached along with offer:-

- I. Following are the list of qualifying documents required please attached for qualifying in the Techno-Commercial Bids for opening of the price Bids. (If yes please attach the following documents in pdf format only)
 - a. Factory Establishment Certificate Or Udyog Aadhar Certificate Or Equivalent.
 - b. Income Tax Returns of last 3 years & PAN card.
 - c. Performance certificate / Work Order Copies from the officer not below the rank of EE for similar experience in MSETCL/MESDCL or any Govt./Private Power Utility.
 - d. GST registration Certificate.
 - e. List of T&P and Skilled Manpower.
- The above qualifying requirement are available in the question format in the RFx. The bidder has to answer all the questions at the time of bidding and also the supporting documents are required above shall be uploaded by the bidder in digitally signed PDF format only. The documents will require digital signature at the time of uploading to the SRM Portal, the bidder has to connect the digital signature key at the time of uploading the qualifying documents/any attachment.
- Rates & Taxes: The Rates quoted should be valid at least for 04 months and should be including of all Labour charges & incidental charges including labour cess but excluding GST as per applicable rate & relevant act. Please quote your GST registration No on quotation.
- Work completion: -The work shall be completed within 45 Days from the date of handing over the CTs/PTs by concerned S/Stn In-Charge.
- Penalty:- If the supply as well as work is not completed within stipulated period the penalty @ 1/2% per week subject to maximum 10% of the order value of work, will be levied. Loss to MSETCL property or equivalent etc. due to your negligence will be penalized & will be recovered from the bill.
- 10. Delivery:- You will have to arrange for transportation of Faulty/FailedCTs & PTs from this office to your works& should deliver (Transport) the repaired CTs & PTs in good condition at this office at your cost as directed by this office from time to time. Fresh Oil will be provided by MSETCL.
- 11. T&P: All the T&P, required for above work will be arranged by the Contractor.
- 12. Safety: The contractor shall ensure the safety of all the workmen, materials and equipment either belonging to him or to other working at site. The contractor shall be responsible for providing of all safety notices and safety equipment required. If any accident occurs during the work, the complete responsibility of the accident will be of Contractors. The M.S.E.T.Co.Ltd. shall not pay any type of compensation for any type of accident
- 13. Income tax: Income tax, GST TDS &Labour Cesswill be deducted as perGovt rules.
- 14. Quality:-The agency will be fully responsible for quality of the material used and the workmanship for the subjected works. The repaired CT/PT will be tested at your works in presence of MSETCL staff and shall be subject to approval of undersigned or the Engineer In Charge.
- 15. Security Deposit: Security Deposit being 5% of order value will have to be paid before in form of D.D./B.G./F.D.R. to this Office, which will be refunded after completion of guarantee period which shall be 12 months from the date of completion of last work.
- 16. Accommodation:- No living accommodation at site will be provided by M.S.E.T.C.L.
- 17. Agreement:- You will have to execute agreement as per provision of Mumbai MudrankAdhiniyam 1958, Clause No.34 with requisite stamp duty (Rs. 500/-) before issuing of final work order.
- 18. General: MSETCL general Terms and Conditions for works are applicable to this contract. The undersigned reserves the rights to accept or reject any or all the Quotation without assigning any reason thereof.

- 19. Scrap:- Any scrapped/damaged/replaced/faulty material should be credited to MSETCL authority immediately Jalgaon by the agency along with joint inspection report.
- 20. Guarantee:-All the material supplied and the workmanship shall be guaranteed for the period of one year for trouble free service of the 11 KV CTs &PTs.
- 21. The undersigned have the reserve right for relaxation of any condition mention above & also reserves the rights for cancellation of any or all quotations/enquiry without assigning any reason.
- 22. Acceptance of work order shall be treated as acceptance of these conditions of the e-enquiry by contractor.

Thanking you,

Enclosed: - Schedule 'A'

Yours Faithfully,

(Y. D. Chavan)
Executive Engineer
EHV (O&M) Division,
MSETCL, Jalgaon.

Copy s.w.r. to: -

The Superintending Engineer, EHV O&M Circle, Bhusawal. (By email)

Copy to:-

1. The Dy. Manager [F&A], EHV O&M Division, Jalgaon. (By email)

2. The Web Master, MSETCL.(By email)

3. Notice Board.



MARASHTRA STATE ELECTRICITY TRANSMISSION COMPANY LTD. EHV (O&M) DIVISION, JALGAON.

"Schedule-A"

Sr. No. Repair of Defective 33KV /11 KV CT (2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware,terminal,bushing,Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% Handling Loss will be Provided by the MSETCL. a. 33kV CT 400-200/1 A 2 each 1 c. 33kV CT 800-400/1 A 2 each 1 d. 33kV CT 800-400/1 A 2 each 1 e. 33kV CT 800-400-200/1 A 2 each 1 f. 33kV CT 800-400-200/1 A 3 each 1 g. 33kV CT 800-400-200/1 A 3 each 1 g. 33kV CT 1600-800/1 A 3 each 1 j. 11kV CT 1600-800/1 A 3 each 1 i. 11kV CT 400-200/1 A 2/3 each 1 j. 11kV CT 400-200/1 A 2/3 each 1 Repair of Defective 33kV /11 KV PT (2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% Handling Loss will be Provided by the MSETCL. a. 33kV PT 33000/110 V 2 each 1	ub.:-	AMC for the work of repairing of 33KV of O&M Division, Jalgaon.					
(2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware, terminal, bushing, Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3%. Handling Loss will be Provided by the MSETCL. a. 33kV CT 400-200/1 A 2 each 1 b. 33kV CT 800-400/1 A 2 each 1 c. 33kV CT 800-400/1 A 3 each 1 e. 33kV CT 800-400/1 A 2 each 1 f. 33kV CT 800-400-200/1 A 2 each 1 g. 33kV CT 800-400-200/1 A 3 each 1 g. 33kV CT 800-400-200/1 A 3 each 1 g. 33kV CT 1600-800/1 A 3 each 1 j. 11kV CT 1600-800/1 A 2/3 each 1 i. 11kV CT 400-200/1 A 2/3 each 1 Repair of Defective 33KV /11 KV PT (2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware, terminal, bushing, Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% Handling Loss will be Provided by the MSETCL. a. 33kV PT 33000/110 V 2 each 1	Sr. No.	Particular of Work	Ratio	Core	Unit	Qty.	Rate in (Rs.) Ex.Works
a. 33kV CT 400-200/1 A 2 each 1 b. 33kV CT 800-400/1 A 2 each 1 c. 33kV CT 800-400/1 A 2 each 1 e. 33kV CT 800-400-200/1 A 2 each 1 f. 33kV CT 800-400-200/1 A 2 each 1 g. 33kV CT 800-400-200/1 A 3 each 1 g. 33kV CT 800-400-200/1 A 3 each 1 i. 11kV CT 1600-800/1 A 3 each 1 i. 11kV CT 400-200/1 A 2/3 each 1 j. 11kV CT 1600-800/1 A 2/3 each 1 j. 11kV CT 2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware, terminal, bushing, Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% Handling Loss will be Provided by the MSETCL. a. 33kV PT 33000/110 V 2 each 1	1.	(2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware,terminal,bushing,Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% Handling Loss will be Provided by					
b. 33kV CT	0		400-200/1 A	2	each	1	
c. 33kV CT 800-400/1 A 2 each 1 d. 33kV CT 800-400/1 A 3 each 1 e. 33kV CT 800-400-200/1 A 2 each 1 f. 33kV CT 800-400-200/1 A 3 each 1 g. 33kV CT 1600-800/1 A 3 each 1 h. 33kV CT No Name Plate 3 each 1 i. 11kV CT 400-200/1 A 2/3 each 1 j. 11kV CT 1600-800/1 A 2/3 each 1 Repair of Defective 33KV /11 KV PT (2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware ,terminal,bushing,Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% .Handling Loss will be Provided by the MSETCL. a. 33kV PT 33000/110 V 2 each 1 2 each 1 2 each 1 2 each 1 3 each 1 3 each 1 4 00-200/1 A 2/3 each 1 2 each 1 3 each 1 4 00-200/1 A 2/3 each 1 2 each 1 3 each 1 4 00-200/1 A 2/3 each 1 2 each 1 3 each 1 4 00-200/1 A 2/3 each 1 2 each 1 3 each 1 4 00-200/1 A 2/3 each 1 3 each 1 4 00-200/1 A 2/3 each 1 2 each 1 3 each 1 4 00-200/1 A 2/3 each 1 4 00-200/1 A 2/3 each 1 2 each 1 3 each 1 4 00-200/1 A 2/3 each 1 3 each 1 4 00-200/1 A 2/3 each 1 4 00-200/1 A 2/3 each 1 2 each 1 3 each 1 4 00-200/1 A 2/3 each 1				3	each	1	
d. 33kV CT 800-400/1 A 3 each 1 e. 33kV CT 800-400-200/1 A 2 each 1 f. 33kV CT 800-400-200/1 A 3 each 1 g. 33kV CT 1600-800/1 A 3 each 1 h. 33kV CT No Name Plate 3 each 1 i. 11kV CT 400-200/1 A 2/3 each 1 j. 11kV CT 1600-800/1 A 2/3 each 1 Repair of Defective 33KV /11 KV PT (2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware ,terminal,bushing,Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% .Handling Loss will be Provided by the MSETCL. a. 33kV PT 33000/110 V 2 each 1			800-400/1 A	2	each	1	
e. 33kV CT 800-400-200/1 A 2 each 1 f. 33kV CT 800-400-200/1 A 3 each 1 g. 33kV CT 1600-800/1 A 3 each 1 h. 33kV CT No Name Plate 3 each 1 i. 11kV CT 400-200/1 A 2/3 each 1 j. 11kV CT 1600-800/1 A 2/3 each 1 Repair of Defective 33KV /11 KV PT (2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware ,terminal,bushing,Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% .Handling Loss will be Provided by the MSETCL. a. 33kV PT 33000/110 V 2 each 1			800-400/1 A	3	each	1	
f. 33kV CT 800-400-200/1 A 3 each 1 g. 33kV CT 1600-800/1 A 3 each 1 h. 33kV CT No Name Plate 3 each 1 i. 11kV CT 400-200/1 A 2/3 each 1 j. 11kV CT 1600-800/1 A 2/3 each 1 Repair of Defective 33KV /11 KV PT (2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware ,terminal,bushing,Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% .Handling Loss will be Provided by the MSETCL. a. 33kV PT 33000/110 V 2 each 1				2	each	1	
g. 33kV CT 1600-800/1 A 3 each 1 h. 33kV CT No Name Plate 3 each 1 i. 11kV CT 400-200/1 A 2/3 each 1 j. 11kV CT 1600-800/1 A 2/3 each 1 Repair of Defective 33KV /11 KV PT (2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware ,terminal, bushing, Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% .Handling Loss will be Provided by the MSETCL. a. 33kV PT 33000/110 V 2 each 1	2000		800-400-200/1 A	3	each	1	
h. 33kV CT No Name Plate 3 each 1 i. 11kV CT 400-200/1 A 2/3 each 1 j. 11kV CT 1600-800/1 A 2/3 each 1 Repair of Defective 33KV /11 KV PT (2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware ,terminal,bushing,Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% .Handling Loss will be Provided by the MSETCL. a. 33kV PT 33000/110 V 2 each 1			1600-800/1 A	3	each	1	
i. 11kV CT 400-200/1 A 2/3 each 1 j. 11kV CT 1600-800/1 A 2/3 each 1 Repair of Defective 33KV /11 KV PT (2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware ,terminal,bushing,Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% .Handling Loss will be Provided by the MSETCL. a. 33kV PT 33000/110 V 2 each 1			No Name Plate	3	each	1	
j. 11kV CT 1600-800/1 A 2/3 each 1 Repair of Defective 33KV /11 KV PT (2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware ,terminal, bushing, Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% .Handling Loss will be Provided by the MSETCL. a. 33kV PT 33000/110 V 2 each 1			400-200/1 A	2/3	each	1	
Repair of Defective 33KV /11 KV PT (2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware ,terminal, bushing, Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3% .Handling Loss will be Provided by the MSETCL. 338V PT 33000/110 V 2 each 1			1600-800/1 A	2/3	each	1	
a. 33kV PT 33000/110 V 2 each 1	ion Aus	(2/3 Core) Outdoor Oil Cooled type, dismantling, Vacuum Treatment, Replacement of insulation Material, Providing Hardware, terminal, bushing, Gasket etc. Painting, tank welding if required, oil replacement, repairing of CT Coil Complete, Name Plate, reassembling and testing etc. Fresh oil +3%. Handling Loss will be Provided by	reservice metric Engineer (o) to ore mandates to the mandates to		la C	12769 SNIM	
a. 35KV 11 22 coch 1		221A/ DT	33000/110 V	2	each	1	
	1000		33000/110 V	3	each	1	
c. 11kV PT 11000/110 V 2/3 each 1	b.	111 M DT					

(Y. D. Chavan)
Executive Engineer
EHV (O&M) Division,
MSETCL, Jalgaon.