

MAHARASHTRA STATE ELECTRICITY TRANSMISSION CO. LTD.

Name of Office: Testing & Communication Circle, MSETCL, Aurangabad.
Office Address: Office of the Superintending Engineer Testing & Communication Circle, MSETCL, A'Bad. Wing no.03, Ground floor, MSETCL, Administrative building, Ajanta road, Harsul, Aurangabad.

E-mail Id : setccabd1@gmail.com, se2500@mahatransco.in

No. SE/TCC/ABD/TS/F-27/

No - 04 11

Date: 9 DEC 2019

To,

01)	02)	03)
-----	-----	-----

Sub:- Work for supply of visiting chairs (12Nos.) and Book Case (1No.) for The Superintending Engineer T&C Circle, Cabin at newly constructed Administrative Building of MSETCL at Harsool, Aurangabad.

Dear Sir,

Sealed firm quotations are invited for above works as per Schedule "A" enclosed herewith, Subject to following terms and conditions:


TERMS AND CONDITIONS:-

The Rate shall be quoted on firm quotation basis as per mentioned in schedule attached. The quotation should be sent under sealed cover duly super scribed as QUOTATION For supply of visiting chairs (12Nos) and Book Case (1No.) for The Superintending Engineer T&C Circle, Cabin at newly constructed Administrative Building of MSETCL at Harsool, Aurangabad.

1. (Enquiry No. ____ be quoted).
2. The price quoted by you in your quotation for supply of the material shall be on firm quotation basis for Delivery at The Superintending Engineer T&C Circle, at newly constructed Administrative Building of MSETCL at Harsool, Aurangabad inclusive of packing and forwarding, insurance & transportation.
3. Your quotation should reach this office **on or before 16.12.2019 up to 11:00Hrs** and the same will be opened on the same day, if possible.
4. Quotation received after due date will not be considered. This office is not responsible for any postal delay.
5. Documents required:-The rate offer must be accompanied with the following documents duly attested & signed by the Agency.
 - A. Copy of valid Shop act
 - B. Copy of Valid Proof of registration under GST.
 - C. Copy of Pan card
 - D. Manufacturer or Authorized dealer certificate
6. Quantity: As shown in "Schedule-A" (Rate including all taxes and labour cess @ 1%)
7. Payment: - 100% payment will be made after receipt of bills in triplicate (Indicating PAN No., GST Reg. No.) to this office for arranging payment. No part payment will be made.
8. The undersigned reserves the right to place order either partly or fully or to reject any or all the quotations without assigning any reasons whatsoever.
9. Please quote your PAN & GST No. in the quotation.
10. **Delivery Period:** - The material shall be supplied within 30 days from the date of receipt of this office order otherwise penalty @ 1% per week subject to max.10% of the order amount will be levied at the discretion of the undersigned.

11. **Sample:-** You will have to take approval for supplied furniture before dispatch. The Superintending Engineer T&C Circle Aurangabad or his representative will approve the sample from supplied material.
12. **Material:** It is mandatory to supply quality material. If any defect observed in the material supplied by you, the same shall be replaced by you free of cost & without delay.
13. **Warranty for Quality of Material :** There must be Warranty for satisfactory performance of the furniture for period of 12 months from the date of receipt of material / furniture at the desired location
14. **Security Deposit:-** Security deposit i.e.10% of order value to be paid before supply of material in terms of cash/DD/FDR of Nationalized bank/scheduled bank in favour of the Superintending Engineer, EHV O&M Circle Aurangabad from the date of issue of order.
15. All the MSETCL's general terms & conditions for purchase will be binding on you.
16. Order will be placed to the agency who has quoted combined lowest rate.
17. An agreement has to be signed with MSETCL regarding abiding with all the terms and conditions of the work on a non-Judicial stamp paper of Rs. 500/- if work is allotted to you. Stamp paper charges will born by you.

Thanking you.


(R.S.Shelke)

Superintending Engineer (I/C),
MSETCL, T&C Circle,
Aurangabad.

Copy to:

- 1) The Manager (F&A), EHV O&M Circle, Aurangabad.
- 2) Notice Board.

Sr. No	Particulars	Qty. in Nos.	Rate/unit	Amo
01	Supplying Visitor chair, The seat shall be made up of 1.2+/-0.1cm thick hot pressed plywood measured as per QA method described in OCP-QLTA-P14-18 and upholstered with fabric or synthetic leather and moulded polyurethane foam. The back shall be made up 1.2+/-0.1cm thick hot pressed plywood upholstered with replaceable fabric or synthetic leather upholstery covers and moulded polyurethane foam. The moulded polyurethane foam shall be of density 45+/-2kg/m ³ , and hardness load 16+/-2kgf as per IS: 7888 for 25% compression. The dimensions of seat shall be- 51.0cm (W) x 48.0cm (D) and of back shall be 48.0cm (W) x 64.5cm (H). The armrest top shall be made of moulded polyurethane and mounted on to a fixed type M.S tubular armrest support chrome plated. The Arm support has static vertical adjustment of +/-1.5+/-0.05cm. The backrest shall consist of a fixed type mechanism i.e. no back up/down adjustment. The leg frame welded assembly shall be chrome plated, made from 3.5+/-0.03cm x 1.5+/-0.02cm x 0.16+/-0.0128cm thick elliptical MSERW tube and provided with a base plate for seat fixing. Overall dimensions of Chair shall be, Width of Chair - 66.5cm, Depth of Chair - 58.0cm as measured from pedestal below. Height from ground - 88.5cm. Seat height - 45.0cm. Dimensions tolerance / variations shall be within +/- 1 cm. All metal components should be pretreated with zinc phosphate in 9 tank process and then powder coated with epoxy polyester powder coating. The manufacturer should compliant and shall have member ship/certification from ISO 9001-QMS, ISO14001 EMS, OHSAS 18001, IID, & BIFMA.	12		
02	Provided 4 Door Book Case shall have the configuration of 914mm(W)x320mm(D)x1742mm(H). The unique design provides the right rigidity to the Top hinged doors, which shall facilitate easy use. The Book Case shall be made from prime quality CRCA steel with anti rusting treatment. It shall have a Rigid Knock Down Construction. The Top Pannel, Back Pannel and Side Pannel are made from 0.7mm high yield CRCA and other components from 0.8mm CRCA. Each door shall have a 6 Lever Cam Lock with Common Key. 3mm thick glass should be used in each door for clear inside vision which shall be secured in a metal frame through a rubber gasket. Scissor Mechanism should be provided in each door for receding inside the top of every compartment and it shall ensure parallel and smooth movement. Each door should be provided with plastic side end caps as handle which is easy to grip. Each compartment shall have a storage shelf with a UDL capacity of max 80 Kg. The 2 Door Book Case shall have 18mm PLB Top straight edge with PVC lipping. The finishing shall include Epoxy powder coated to the thickness of 50 microns (+/- 10). All metal components should be pretreated with zinc phosphate in 9 tank process and then powder coated with epoxy polyester powder coating. The manufacturer should compliant and shall have member ship/certification from ISO 9001-QMS, ISO14001 EMS, OHSAS 18001, IID, & BIFMA.	01		
	Total			

Note: Unit rate (including all taxes and labour cess @ 1%

R.S. Shelke

(R.S.Shelke)

Superintending Engineer (I/C),
MSETCL, T&C Circle, Abad.