

- OFFICE OF THE -  
**EXECUTIVE ENGINEER (C)**  
EHV Civil Construction Cum Maintenance Division,  
Maharashtra State Electricity Transmission Company Ltd.  
Plot No.P21,132 KV S/Stn. Premises, MIDC,  
Latur-413 531.  
Tel. No. 02382 – 222373,  
E\_mail : ee2730@mahatransco.in

No.: EEC/EHV/CCCM Dn./LTR/T/No. 247

Date:-11.05.2022

### **E-Enquiry**

**Sub:** Urgent civil maintenance work at 220kV Substation Manjarsumbha under EHV CCCM Sub-division Beed.

Sealed and super scribed Item Rate quotations are invited for above work as per the Schedule 'B' attached so as to reach this office on or before 18.05.2022 up to 14.00 hrs. The Quotations will be opened on the same day if possible.

### **TERMS AND CONDITONS:**


1. Work is to be done at **220kV Substation Manjarsumbha, Dist:-Beed.**
  2. The rates [percentage] should be quoted on Firm Quotation basis (Two Bid System only) including cost of materials, labours & T&P etc. required for execution of the work.
- (a) **Compulsory Primary Documents in 1<sup>st</sup> Envelop: (Technical Bid)**
- Valid Certificate of Registration of appropriate class for Civil works from PWD/MES/ Railways/Jeevan Pradhikaran Etc Or From Any Govt./ Central Government and registered vendor of MSETCL.
  - GST/ GSTIN Registration Certificate.
  - Experience of having successfully completed similar civil works.
  - Payment of EMD Rs. 5000.00 to be made by bidder off-line in cash only up to 14.00 hrs of 18.05.2022 in the office of EE(C), Dn, Latur. EMD Amount and MR No. should be super-scribed on the Envelope & having registered vendor of MSETCL.
- (b) **Documents in 2 Envelop: (Price Bid)**
- Price bid only where in the rates/percentage should be quoted in figures as well as in words.

**NOTE :- Envelop No.2 (Price Bid) will be opened after qualifying in Envelop No. 1 i.e. in Technical Bid.**

3. Work is to be completed within 30 Days from the date of handing over of site. If it is not completed within this period, penalty will be charged at the rate of half percent per week, maximum up to 10% of work order amount.
4. Quantities mentioned in Schedule 'B' of e-enquiry are approximate and payment will be made on actual quantities of the work executed.
5. Payments will be made in first and final bill/ R. A. bills at the discretion of undersigned & as per the availability of funds.
6. Our rates are inclusive of GST. GST will be paid / deducted through / from your bills as applicable as per prevailing rate, rules and Act.
7. Work is to be carried out strictly as per the standard specification and as directed by the Engineer in charge.
8. In case of any dispute, the decision of the Executive Engineer (C), EHV CCCM Division, Latur will be final and binding on the contractor.
9. If any damages occur to the Company's property, during execution, contractor will have to make them good at his own cost.
10. In case any accident occurred to the Contractor's labour/workmen during execution of work, the contractor will be fully responsible for all claims & compensation. No charge in any case will be borne by the MSETCL.
11. Income tax at prevailing rate as applicable on basic amount of bill will be recovered from your bill.
12. All terms and conditions as per the Company's rules including those in the booklet, Tender and contract for works are applicable in this case also.
13. Right to reject any or all quotations without assigning any reasons is reserved by the undersigned.
14. Lowest bidder will have to pay 5% S.D. on value of the work order in the form of F.D.R. of scheduled or Nationalized Bank / Bank guarantee prior to starting of work.
15. Water charges @ 0.25% and energy charges @ 0.25% will be recovered from your bill wherever water / energy supplied departmentally.
16. No material will be supplied by MSETCL.
17. The material to be utilized should be used after getting approval from Engineer-in-charge.
18. Labour cess @ 1% of the value of work executed will be recovered through contractor's bill as per G.R. of Government.
19. You have to submit labour insurance amounting to 1% of work order amount before starting of work.

20. As per the rules of MSETCL, you will have to enter into an agreement with the company before starting of work on stamp paper of Rs. 500/- the cost of which will be borne by the agency.

21. All the compulsory documents are to be submitted while submitting bid, non-submission of any compulsory document will result in disqualification of bidder & no further correspondence will be made in this regards. Hence the bidder should ensure that all the required documents/information is enclosed properly while submitting the bid.



(N. L. Namde)  
Executive Engineer (C)  
EHV CCCM Division  
Latur

Encl: Schedule 'B'

Copy s. w. r. to:-

The Superintending Engineer (C), EHV, CCCM Circle, Aurangabad.

Copy to:-

- 1) Addl. Executive Engineer (C), EHV CCCM S/Dn, Beed.
- 2) The Dy. Manager (F&A), EHV, CCCM Division, Beed.

**Maharashtra State Electricity Transmission Co. Ltd.**  
**EHV CCCM Division, MSETCL, Latur**

Name of Work : Urgent civil maintainance work @c220Kv S/Stn Manjarsumba under EHV CCCM S/Dn Beed.

**Schedule B**

Sr No	ITEM OF WORK	QTY	RATE	ADD GST 18%	Rate including GST	Unit	Amount
1	Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50 metre beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. - (Lift upto 1.5 metre)	20.46	194.93	35.09	230.02	Cubic Metre	4706.21
2	Providing dry rubble stone pitching 23 centimetre (about 9 inch) thick including all material, quarry spalls, labour, etc. complete.	48	550.5	99.09	649.59	Square Metre	31180.32
3	Providing and laying cast in situ / Ready Mix cement concrete in M-15 of trap / granite / quartzite / gneiss metal for coping to plinth or parapet moulded or chamfered as per drawing or as directed including steel centering, plywood / steel formwork, compacting, roughening them if special finish is to be provided, finishing uneven and honeycombed surface and curing, etc. complete. The cement mortar 1:3 plaster is considered for rendering uneven and honeycombed surface only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin, etc. complete. (Wooden centering will not be allowed.) With fine aggregate (Natural Sand / Crushed sand VSI Grade finely washed etc) (For Ground Floor)	5.55	6630.66	1193.52	7824.18	Cubic Metre	43424.2
4	Providing and fixing in position thermo mechanically treated FE-500 steel bar reinforcement of various dias for reinforced cement concrete pile caps, footings, foundations, slabs, beams, columns, canopies, staircases, newels, chajjas, lintels, pardis, copings, fins, arches, etc. as per detailed designs, drawings and schedules including cutting, bendding, hooking the bars, binding with wires or tack welding and supporting as required complete. (For Ground Floor)	0.125	72495.78	13049.24	85545.02	Metric Ton	10693.13



5	Providing sand faced plaster externally in cement mortar using approved screened sand in all positions including base coat of 15 milimetre thick in cement mortar 1:4 using waterproofing compound at one killogramme per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment of 6 to 8 milimetre thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days, scaffolding, etc. complete. (For Ground Floor)	3.75	621.54	111.88	733.42	Square Metre	2750.33
6	Providing and applying plastic emulsiton Asian paint of approved quality, colour and shade to old and new surfaces in two coats including scaffolding, preparing the surface (excluding the primer coat), etc. complete. (For Ground Floor)	3.75	70.7	12.73	83.43	Square Metre	312.86
7	Removing cement tiles, or marble or polished shahabad floor or dado without bed concrete including stacking the materials as directed with all leads, lifts etc. complete.	56.8	42.42	7.64	50.06	Square Metre	2843.41
8	Providing and laying vitrified matt finish tiles of Varmora/Kajaria having size 590 milimetre to 605 milimetre X to 605 milimetre of 8 milimetre to 10 milimetre thickness and confirming to Indian Standard 15622-2006 (Group BIa) of approved make, shade and pattern for flooring in required position laid on a bed of 1:4 cement mortar including neat cement float, filling joints, curing and cleaning, etc. complete. - Flooring (For Ground Floor)	54	1628.81	293.19	1922	Square Metre	103788
9	Providing and laying vitrified matt finish tiles of Varmora/Kajaria having size 590 milimetre to 605 milimetre X to 605 milimetre of 8 milimetre to 10 milimetre thickness and confirming to Indian Standard 15622-2006 (Group BIa) of approved make, shade and pattern for flooring in required position laid on a bed of 1:4 cement mortar including neat cement float, filling joints, curing and cleaning, etc. complete. - Skirting (For Ground Floor)	2.8	2035.84	366.45	2402.29	Square Metre	6726.41

10	Providing and fixing machine cut machine polished 18 milimetre to 20 milimetre thick telephone black / amba white / cadbury brown / RBI red / ocean brown granite stone for treads and risers of steps and staircases of approved colour and shade with rounded moulding and three grooved line for the treads on a bed of 1:4 cement mortar including float, filling joints with neat cement slurry, curing, polishing and cleaning, etc. complete. (For Ground Floor)	7.8	4189.42	754.1	4943.52	Square Metre	38559.46
11	Providing and laying in trenches 25 mm dai. CPVC pipe of PLasto/Finolex including necessary excavation, fittings. Refilling trenches etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete	70	384.81	69.27	454.08	Running Metre	31785.6
12	Providing and fixing collapsible steel gate in one / two leaves with hot rolled vertical channels of 18 milimetre X 9 milimetre X 3 milimetre minimum size, crossings of mild steel flats of size 18 milimetre X 5 milimetre T or E section for runner of minimum 40 milimetre X 6 milimetre size for flange, mild steel flat for top runner of minimum size 40 milimetre X 12 milimetre with roller wheels confirming to grade F.G. 150 fitted with snap headed rivets of minimum size 6 milimetre, maximum spacing of vertical channels be 100 milimetre enclosed gate position and clear space of 150 milimetre between two sets of crossings with hold fasts, stoppers, spaces, handles, locking arrangement and one coat of red lead primer and oil painting, etc. complete. (Indian Standard 10521-1983). (For Ground Floor)	8.1	3773.36	679.2	4452.56	Square Metre	36065.74
13	Providing and laying in trenches 20 mm dai. CPVC pipe of PLasto/Finolex including necessary excavation, fittings. Refilling trenches etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete.	31	288.86	51.99	340.85	Running Metre	10566.35

14	Providing and fixing screw down for 40 milimetre diameter wheeled stop tap of brass including necessary sockets / union nut complete. (For Ground Floor)	4	1069.59	192.53	1262.12	Number	5048.48
15	Labour charges for Mazdoor unskilled - heavy male at the site of work.	4	584.79	105.26	690.05	Day	2760.2
16	Providing and fixing 15 milimetre diameter screw down bib / stop tap of brass including necessary socket union nut complete. (For Ground Floor)	4	643.37	115.81	759.18	Number	3036.72
						<b>Total=</b>	<b>334247.42</b>

Note: Rates are inclusive of 18% GST & 1% labor insurance.

(N. L. Namde)  
Executive Engineer ©  
EHV CCCM Division  
Latur

I/We ready to work/supply

In words \_\_\_\_\_

In figure \_\_\_\_\_ % Above/Below/At par with Schedule B.

Signature of Contractor