

MAHARASHTRA STATE ELECTRICITY TRANSMMISSION CO. LTD. CIN No: U40109MH2005SGC153646

Name of office: EHV O & M Division, MSETCL, Karad.

Office Address: Administrative Building, Ground Floor, Vijaynagar, Karad-415114, Dist: Satara.

Contact No. : Tel. (O): 02164-255199, (P):02164-255047

Email ID : ehvkarad@gmail.com, ee3110@mahatransco.in

Ref: - EE/EHV (O&M)/DN/KRD/T/No. NO - 0 7 7 5

Dtd. 0 5 SEP 2022

RE-ENQUIRY

Sealed and super scribed quotations are invited for the works as detailed in Schedule 'A' enclosed herewith subject to following terms and conditions.

- 1. Name of work: Supply of various sizes of Safety Shoes for employees working at various S/Stns. under EHV O&M Division, Karad.
- 2. Estimated Cost: The total estimated amount in Rs. 1, 54, 194/- Including all taxes.
- **3. Validity of Offer: -** The rates should be valid for 90 days from the date of receipt of the quotations.
- 4. Due Date: The quotations should reach to this office on or before 13.09.2022 up to 13:00 Hrs.
- 5. Submission of Bills & Payments: 100% payment will be made after receiving of bills in triplicate. Payment will be effected at Division level as per availability of funds.
- 6. Security Deposit: You will have to pay the security deposit @ 10% of the total order value within Seven days from the date of receipt of firm order. Security Deposit is payable by (a) Cash (b) D.D. (c) Bank Guarantee from a nationalized scheduled Bank. The S.D. will be refunded after satisfactory completion of the supply of material.
- 7. The quantity mentioned in schedule 'A' are subject to vary depending on vacancy position & as per Executive Engineer instructions.
- 8. The bidders are requested to visit the office of the Executive Engineer, EHV O&M Division, Karad, on Dtd. 08.09.2022 at 15.00 Hrs. along with sample for both i.e. Men & Women shoes for approval purpose.
- 9. The bidder have to provide sample before quoting the rates & same should be got approved from Executive Engineer EHV O&M Division, Karad as per Point No. 8 above & according to the specifications as decided by MSETCL. The approval letter should be submitted along with the quotations.
- 10. The quotations not confirming to the specifications are likely to be rejected.
- 11. The quotations should be properly sealed and super scribed on the envelopes as the "Supply of various sizes of Safety Shoes for employees working at various S/Stns. under EHV O&M Division, Karad."

- 12. Following attested documents should be attested with the quotation.
 - 1. Valid GST Registration certificate 2. Registration of firm under Bombay shop & Establishment Act. 3. Sample approved letter from Executive Engineer, EHV O&M Division, Karad.
- **13.** The taxes should be quoted separately; otherwise it will be presumed that your rates are inclusive of all.
- 14. The MSETCL's general terms & conditions of work contract are applicable to this order.
- 15. The undersigned reserves the right to reject any or all quotations without assigning any reasons.

Copy S. W. R. to:

The Superintending Engineer, EHV (O&M) Circle, Karad.

Copy to:

1. Dy. Manager (F&A) / (HR) EHV (O&M) Dn., Karad.

2. Notice Board.

Executive Engineer EHV (O&M) Dn., Karad

MAHARASTRA STATE ELECTRICITY TRANSMISSION CO. LTD. E.H.V.(O&M) DIVISION, KARAD.

Sub: - Supply of various sizes of Safety Shoes for employees working at various S/Stns. under EHV O&M Division, Karad & as per

SCHEDULE - 'A'

Sr. No.	Particulars (Shoes Size)	Unit	Qty.		Total	Rate / Unit in
			Men	Women	Qty.	Rs.
1	3 No. Size	No.	_	7	7	
2	4 No. Size	No.	-	4	4	
3	5 No. Size	No.	1	4	5	
4	6 No. Size	No.	17	6	23	
5	7 No. Size	No.	27	4	31	
6	8 No. Size	No.	23	2	25	
7	9 No. Size	No.	20	-	20	
8	10 No. Size	No.	9	-	9	
9	11 No. Size	No.	1	_	1	
	Total	98	27	125		

Technical Specification of Electrical Safety Shoes.

Туре	Low Ankle Derby	
Toe	Fiber Toe	
Leather	Barton Split Leather	
Vamp Lining	Non –Woven Fabric	
In Socks	EVA with cotton drill cloth	
Sole	Nitrile / PU Sole	
Collar	Soft Hilton with comfort	
Tongue	Comfortable cushion pad	
Quarter Lining	Non-woven fabric sweat absorbing, breathable & odor free	
Shock Resist Up to	15 to 22KV. Preference will be given to 33KV.	

Note:-

- 1) Taxes should be quoted separately; otherwise, it will be presumed that, the rates are inclusive of all taxes.
- 2) Quantity mentioned in the schedule 'A' is approximate & may vary depending upon actual requirement.
- 3) Various sizes will be conveyed accordingly.

Executive Engineer
EHY O&M Division Karad